## Anti Preprogalanin (89-124)(Rat) Serum

Cat. No. Y185 Lot No. 193100513

**Description:** This antiserum was raised in a rabbit by immunization with a carrier free synthetic preprogalanin (89-124) (rat) peptide. The product vial contains 50  $\mu$ L of the titled antiserum obtained by lyophilizing its 0.001M phosphate buffer (pH 7.0, 0.5mL) solution. It can be used for immunoassay, immunohistochemistry or any other immunoreaction with preprogalanin (rat).

Immunogen: Synthetic preprogalanin (89-124) (rat), carrier free Ho

Host: Rabbit

Amino Acid Sequence of Preprogalanin (89-124)(rat) 1):

89

124

RT IMEFLSFLHL KEAGALDSLP GIPLATSSED LEOS

Product Form: Lyophilized unpurified serum

Size:  $50 \mu L$ 

**Reconstitution:** Reconstitute the product with 0.5mL of 0.01M PBS (pH 7.0) to make a 10 fold diluted stock solution. If it is stored in a refrigerator, add moderate antiseptic to the solution (e.g. NaN<sub>3</sub> 0.1%).

**Storage:** The product will be stable for over one year if it be stored at -20°C to -80°C until opened. Upon reconstitution, the antiserum solution must be stored at 2°C to 8°C and used within one month. Repeated freezing-thawing should be avoided.

**Suggested Working Dilution Range:** 1:3,000 (final dilution ~1:21,000) for radioimmunoassay; 1:500-2,000 for immunohistochemistry (frozen or paraffin sections). Optimal dilution should be determined by each laboratory for each application.

**Specificity** (based on radioimmunoassay): Preprogalanin (rat) 100%, preprogalanin (human) 80%, galanin (rat) 0%

Positive Control (immunohistochemistry): Rat pyroric spincter

Species Tested: Rat2)

## REFERENCES:

- 1) L.M. Kaplan, E.R. Spindel et al., Tissue-specific expression of the rat galanin gene. Proceedings of National Academy of Sciences, USA 85: 1065-1069, 1988
- N. Yanaihara, T. Mochizuki et al., Endocrine and gastrointestinal action of galanin. Annals of the New York Academy of Sciences, T. Hokfelt (Ed) 863:129-142, 1999

## FOR RESEARCH LABORATORY USE ONLY

DO NOT USE ORGANIC SOLVENTS FOR DISSOLVING ANTISERUM

Yansihara Instituta Inc.

2480-1 Awakura, Fujinomiya, Shizuoka, 418-0011 Japan TEL: +81-544-22-2771 FAX:+81-544-22-2770

For more infomation, please visit our internet website: http://www.yanaihara.co.jp or contact us to: ask@yanaihara.co.jp