

Goat anti-human Factor IX (FIX)

Peroxidase Conjugated IgG 0.2 mg

Product #: **GAFIX-HRP**

Lot #:

Expiry date:

Store at -10 to -20°C

1348 Sandhill Drive. Ancaster, Ontario, Canada L9G 4V5 905·304·9896 • 800·903·6020 • fax 905·304·9897

For Research Use Only. Not for use in diagnostic procedures.

Description of Factor IX

Factor IX (FIX, Christmas Factor) is a vitamin K-dependent glycoprotein produced in the liver. Plasma concentration of FIX is normally around 5 µg/ml (87 nM) in plasma. The biological importance of FIX is demonstrated in Haemophilia B (Christmas disease), an X-linked congenital bleeding disease resulting from a quantitative (low activity and low antigen) or qualitative (low activity and normal antigen) defect in FIX function.

In its proenzyme or zymogen form FIX is a single chain molecule of 55,000 daltons. It contains two EGF-like domains and an amino-terminal domain containing 12 y-carboxy-glutamic acid (Gla) residues. These Gla residues allow FIX to bind divalent metal ions and participate in calcium-dependent binding interactions. The activation of FIX occurs by limited proteolysis in the presence of calcium by activated factor XI (FXIa) and/or by a complex of VIIa/tissue factor/phospholipid and activated Factor X between residues Arg146-Ala147 and between Arg180-Val181. The terminal activated product in either case is FIXaB, a two-chain enzyme consisting of a heavy chain (28,000 daltons), a light chain (18,000 daltons) and an activation peptide product of 11,000 daltons. FIX can also be cleaved into inactive products by thrombin and by elastase.

The activity of FIXaB in plasma is inhibited by antithrombin and this inhibition is accelerated 1000-fold in the presence of optimal concentrations of heparin 1-3.

REFERENCES and REVIEWS

- 1. Lawson, JH, Mann KG; Cooperative Activation of Human F.IX by the Human Extrinsic Pathway of Coagulation; JBC 266 pp11317-11327, 10991.
- 2. Enfield DL, Thompson AR; Cleavage and Activation of Factor IX by Serine Proteases; Blood 64, pp 821-831, 1984.
- 3. Limentani SA, Furie BC, Furie B, in Hemostasis and Thrombosis, 3rd Edition, eds. RW Colman, J Hirsh, VJ Marder and EW Salzman, pp. 94-108, J.B. Lippincott Co., Philadelphia PA, USA, 1994.

Product Specifications

Description:

Vial containing ml of whole IgG conjugated to horseradish peroxidase (HRP) through carbohydrate groups. Total protein is 0.2 mg.

Format:

IgG-HRP conjugate as a clear, slightly red-brown liquid.

Host Animal:

Goat

Immunogen:

Human Factor IX purified from plasma.

Concentration:

IgG-HRP concentration is mg/ml, determined by absorbance using an extinction coefficient (E1%280) of 14.

A buffered stabilizer solution containing 50% (v/v) glycerol.

Storage:

Store between -10 and -20°C. Product will become viscous but will not freeze. Avoid storage in frost-free freezers. Keep vial tightly capped. Allow product to warm to room temperature and gently mix before use. Avoid exposure to Sodium azide as this is an inhibitor of peroxidase activity

Specificity:

Prior to conjugation, this antibody was specific for FIX as demonstrated by immunoelectrophoresis and ELISA.

Applications:

Suitable as a source of peroxidase labeled antibodies to FIX.

Rz Ratio (Reinheitszahl, A₄₀₃/A₂₈₀):

as determined spectrophotometrically.

Related Products:

Cat #: FIX-DP

Cat #: GAFIX-IG Goat anti-human FIX, IgG from antiserum Cat #: GAFIX-AP Goat anti-human FIX, affinity-purified IgG Cat #: GAFIX-APHRP Goat anti-human FIX, APIgG-peroxidase Cat #: GAFIX-APFTC Goat anti-human FIX, APIgG-FITC Cat #: SAFIX-IG Sheep anti-human FIX, IgG from antiserum Cat #: SAFIX-AP Sheep anti-human FIX, affinity-purified IgG Cat #: SAFIX-APHRP Sheep anti-human FIX, APIgG-peroxidase Cat #: FIX-EIA Paired antibody set for ELISA of FIX, 5 x 96 wells

Visit our site (www.affinitybiologicals.com) for details.

Limited Warranty: This product is warranted to perform in accordance with its labeling and literature. Affinity Biologicals Inc. disclaims any implied warranty of merchantibility or fitness for any other purposes, and in no event will Affinity Biologicals Inc. be liable for any consequential damages arising out of aforesaid express warranty.

Human plasma deficient in FIX, immune depleted

Manufactured in Canada by:

AFFINITY BIOLOGICALS INC.

1348 Sandhill Drive Ancaster ON CANADA L9G 4V5

Tel: (905) 304-9896 (800) 903-6020 Fax: (905) 304-9897

info@affinitybiologicals.com